

Development of Lighting Recommendations Report for Downtown Salina

Preliminary Report
September 10, 2007



BWR
Right in the Center

Study Requirements

- 1) Verify locations of existing street and pedestrian lighting (Approx. 350).

Study Requirements

- 1) Verify locations of existing street and pedestrian lighting (Approx. 350).
- 2) Perform field lighting footcandle level readings to develop model of lighting.

Study Requirements

- 1) Verify locations of existing street and pedestrian lighting (Approx. 350).
- 2) Perform field lighting footcandle level readings to develop model of lighting.
- 3) Perform lighting calculations to model existing downtown light levels.

Study Requirements


- 1) Verify locations of existing street and pedestrian lighting (Approx. 350)
- 2) Perform field lighting footcandle level readings to develop model of lighting.
- 3) Perform lighting calculations to model existing downtown light levels.
- 4) Meet with Salina Downtown, Inc.

Study Requirements

- 1) Verify locations of existing street and pedestrian lighting (Approx. 350).
- 2) Perform field lighting footcandle level readings to develop model of lighting.
- 3) Perform lighting calculations to model existing downtown light levels.
- 4) Meet with Salina Downtown, Inc.
- 5) Evaluate and propose future lighting options.

Study Requirements

- 1) Verify locations of existing street and pedestrian lighting (Approx. 350).
- 2) Perform field lighting footcandle levels readings to develop model of lighting.
- 3) Perform lighting calculations to model existing downtown light levels.
- 4) Meet with Salina Downtown, Inc.
- 5) Evaluate and propose future lighting options.
- 6) Create a report of procedure and findings.

[illegible]

Downtown Area Map



“Typical” Downtown Lighting



Examples of Downtown Lighting



BWR
Right in the Center

Examples of Downtown Lighting



BWR
Right in the Center

Examples of Downtown Lighting



BWR
Right in the Center

Examples of Downtown Lighting



BWR
Right in the Center

Examples of Downtown Lighting



Examples of Downtown Lighting



Examples of Downtown Lighting



Additional Lighting Near the Downtown Area



Additional Lighting Near the Downtown Area



Additional Lighting Near the Downtown Area



Perform Field Lighting Footcandle Level Readings to Develop Model

- Gathered data on:
 - Santa Fe, between Iron and Walnut
 - Santa Fe, between Ash and Elm
 - Seventh Street, between Ash and Elm
 - Eight Street, between Ash and Iron
 - Eight Street, between Iron and Walnut
 - Fifth Street, between Iron and Walnut
 - City Parking Lots

Perform Lighting Calculations to Model Existing Lighting Levels

- Currently Developing Models

Perform Lighting Calculations to Model Existing Lighting Levels

- Currently Developing Models
 - Challenges
 - Multitude of the lighting fixture types

Perform Lighting Calculations to Model Existing Lighting Levels

- Currently Developing Models
 - Challenges
 - Multitude of the lighting fixture types
 - Lack of photometric data for existing pedestrian lighting fixtures

Perform Lighting Calculations to Model Existing Lighting Levels

- Currently Developing Models
 - Challenges
 - Multitude of the lighting fixture types
 - Lack of photometric data for existing pedestrian lighting fixtures
 - Field data shows actual lighting levels
 - Age of Lamp
 - Debris in Lens
 - Tree obstructions

Perform Lighting Calculations to Model Existing Lighting Levels



Meet with Salina Downtown, Inc.

- Completed on August 21st
 - Attended Board Meeting

Meet with Salina Downtown, Inc.

- Completed on August 21st
 - Attended Board Meeting
 - Gathered Information from members

Evaluate and Propose Future Lighting Options

- Currently developing options
 - Renovation of Existing

Evaluate and Propose Future Lighting Options

- Currently developing options
 - Renovation of Existing



Evaluate and Propose Future Lighting Options

- Currently developing options
 - Renovation of Existing
 - Revise Layout

Evaluate and Propose Future Lighting Options

- Currently developing options
 - Renovation of Existing
 - Revise Layout
 - New Lighting System

Evaluate and Propose Future Lighting Options

- Currently developing options
 - Renovation of Existing
 - Revise Layout
 - New Lighting System
 - Varying Lighting Approaches for Differing Areas within the study

Evaluate and Propose Future Lighting Options

- Currently developing options
 - Renovation of Existing
 - Revise Layout
 - New Lighting System
 - Varying Lighting Approaches for Differing Areas within the study
- Still gathering data on community desires.

Evaluate and Propose Future Lighting Options

- Design Criteria (Recommendations Only)
 - Illuminating Engineering Society, N.A. (IESNA)
 - Community Responsive Design
 - Goals
 - Theme
 - Family of Luminaires
 - Lighting Levels
 - Local-Commercial Classification
 - **0.9 footcandles average, Average to Minimum Ratio 6:1**
 - Local-Intermediate Classification
 - **0.7 footcandles average, Average to Minimum Ratio 6:1**
 - Local-Residential Classification
 - **0.4 footcandles average, Average to Minimum Ratio 6:1**
 - Parking Lots
 - **0.2 footcandles minimum, Maximum to Minimum Ratio 20:1**

Create Report of Procedure and Findings

- Preliminary Report Due September 21st
- Final Report Due to City on October 19th

Questions or Comments

